



## **TX2400-JK-11 Datasheet v1.0**



**Picture****TX2400-JK-11****Physical parameter****TX2400-JK-11**

No.	Parameter item	Parameter details & Description
1	Model	TX2400-JK-11
2	Size	Ø 10.0 * 110 mm
3	Average Weight	10 ± 1 g
4	Shape Feature	Flexible
5	Color	Black
6	Material	TPEE
7	Connector Type	SMA-J
8	Cable Length	-

**Electrical parameter****TX2400-JK-11**

No.	Parameter item	Parameter details & Description
1	Frequency Range	2.4 ~ 2.52 GHz
2	Gain	2.5 dBi
3	SWR	≤ 1.5
4	Power Capacity	10 W
5	Input Impedance	50 Ω
6	Polarization Type	Vertical polarization
7	Radiation Direction	Omnidirectional

## Dimension

## TX2400-JK-11





## Test report

TX2400-JK-11

【Testing Instrument】：Angilent E5071C

【Test address】：Chengdu Ebyte Electronic Technology Co.,Ltd.



## About us

Technical support: [support@cdebyte.com](mailto:support@cdebyte.com)

Documents and RF Setting download link: [www.cdebyte.com](http://www.cdebyte.com)

Thank you for using Ebyte products! Please contact us with any questions or suggestions:

[lirong@cdebyte.com](mailto:lirong@cdebyte.com)

-----  
Phone: 028-61543675

Web: [www.cdebyte.com](http://www.cdebyte.com)

Address: Building B5, Mould Industrial Park, 199# Xi-Qu Ave, West High-tech Zone, Chengdu,  
611731, Sichuan, China



**Chengdu Ebyte Electronic Technology Co.,Ltd.**